

南京金栖化工集团有限公司
企业自测自报方案及报告

2019 年

一、月度计划

序号	采样点名称	排口编号	点位坐标		监测因子	排放标准限值 (mg/l)	监测日期	污染物浓度 (mg/l)
			经度	纬度				
1	污水排口 1	WS-01- 2016	118.5004	32.1641	1 化学需氧量	1000	2019.10.14	467.4
					2 氨氮	50	2019.10.14	24.06
					3 总磷	5	2019.10.14	0.72
					4 PH	6-9	2019.10.14	7.74
					5			
2	雨水(清 下水)排 口1	FWS-01- 2016	118.5005	32.1642	1 化学需氧量	40	2019.10.8	13.1
					2 氨氮	2	2019.10.8	1.45
					3 总磷	0.4	2019.10.8	0.13
					4 PH	6-9	2019.10.8	7.65
					5			

二、季度计划

序号	采样点名称	排口编号	点位坐标		监测因子	排放标准限值 (mg/l)	监测日期	污染物浓度 (mg/l)
			经度	纬度				
1	污水排口 1	WS-01- 2016			1 ph	6-9	2019.9.11	8.97
					2 COD	1000	2019.9.11	232
					3 悬浮物	400	2019.9.11	20
					4 氨氮	50	2019.9.11	15.7
					5 总磷	5	2019.9.11	1.08
					6 石油类	20	2019.9.11	/
					7			



扫描全能王 创建

2	雨水（清下水）排口1	FWS-01-2016			1	ph	6-9	2019.9.11	7.62
					2	COD	40	2019.9.11	30
					3	悬浮物	/	2019.9.11	/
					4	氨氮	2	2019.9.11	0.025
					5	总磷	0.4	2019.9.11	0.01
					6	石油类	1.0	2019.9.11	0.06
					7				
3	厂界上风向	大气环境检测			1	丙烯腈	0.6	2019.9.11	ND
					2	苯乙烯	5.0	2019.9.11	ND
					3	臭气	20	2019.9.11	<10
					4	硫化氢	0.06	2019.9.11	0.002
					5	氨	1.5	2019.9.11	0.03
					6	非甲烷总烃	2.0	2019.9.11	2.12
					7	环氧丙烷	1.0	2019.9.11	ND
					8	环氧乙烷	1.5	2019.9.11	ND
4	厂界下风向	大气环境检测			1	丙烯腈	0.6	2019.9.11	ND
					2	苯乙烯	5.0	2019.9.11	ND
					3	臭气	20	2019.9.11	<10
					4	硫化氢	0.06	2019.9.11	0.004
					5	氨	1.5	2019.9.11	0.003
					6	非甲烷总烃	2.0	2019.9.11	0.99
					7	环氧丙烷	1.0	2019.9.11	ND
					8	环氧乙烷	1.5	2019.9.11	ND
5	厂界下风向	大气环境检测			1	丙烯腈	0.6	2019.9.11	ND
					2	苯乙烯	5.0	2019.9.11	ND
					3	臭气	20	2019.9.11	<10
					4	硫化氢	0.06	2019.9.11	0.004
					5	氨	1.5	2019.9.11	0.03
					6	非甲烷总烃	2.0	2019.9.11	1.08
					7	环氧丙烷	1.0	2019.9.11	ND



6	厂界下风向	大气环境检测	-----	-----	8	环氧乙烷	1.5	2019.9.11	ND	
					1	丙烯腈	0.6	2019.9.11	ND	
					2	苯乙烯	5.0	2019.9.11	ND	
					3	臭气	20	2019.9.11	<10	
					4	硫化氢	0.06	2019.9.11	0.004	
					5	氨	1.5	2019.9.11	0.03	
					6	非甲烷总烃	2.0	2019.9.11	0.81	
					7	环氧丙烷	1.0	2019.9.11	ND	
7	废气排口1	FQ-01-2016	118.5005	32.1642	8	环氧乙烷	1.5	2019.9.11	ND	
					1	丙烯腈	22	2019.9.11	ND	
					2	苯乙烯	/	2019.9.11	ND	
					3	硫化氢	/	2019.9.11	0.008	
					4	氨	/	2019.9.11	1.63	
					5	非甲烷总烃	120	2019.9.11	2.8	
					6	臭气	/	2019.9.11	174	
					7	环氧丙烷	252	2019.9.11	ND	
					8	环氧乙烷	360	2019.9.11	ND	
					监测日期	昼间（dB）	标准限值	夜间（dB）	标准限值	评价结论
15	厂界东侧	噪声监测	-----	-----	2019.9.11	59.1	65	53.4	55	合格
16	厂界南侧	噪声监测	-----	-----	2019.9.11	62.3	65	50.5	55	合格
17	厂界西侧	噪声监测	-----	-----	2019.9.11	57.4	65	51.7	55	合格
18	厂界北侧	噪声监测	-----	-----	2019.9.11	57.9	65	49.6	55	合格

三、年度计划

序号	采样点名称	排口编号	点位坐标		监测因子		评价标准限值 (mg/kg或mg/l)	监测日期	污染物浓度 (mg/kg 或mg/l)	评价结论
			经度	纬度						
					1	砷	60	2019.9.17	3.81	合格
					2	镉	65	2019.9.17	0.778	合格
					3	六价铬	5.7	2019.9.17	ND	合格



1	土壤1	土壤环境 检测T1 (表层: 0-0.5m)	118° 50 ' 06.63 "	32° 16' 4 1.79"	<table border="1"> <tr><td>4</td><td>铜</td><td>18000</td><td>2019.9.17</td><td>19.8</td><td>合格</td></tr> <tr><td>5</td><td>铅</td><td>800</td><td>2019.9.17</td><td>11</td><td>合格</td></tr> <tr><td>6</td><td>汞</td><td>38</td><td>2019.9.17</td><td>0.16</td><td>合格</td></tr> <tr><td>7</td><td>镍</td><td>900</td><td>2019.9.17</td><td>34.6</td><td>合格</td></tr> <tr><td>8</td><td>四氯化碳</td><td>2.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>9</td><td>氯仿</td><td>0.9</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>10</td><td>氯甲烷</td><td>37</td><td>2019.9.17</td><td>1.2×10^{-3}</td><td>合格</td></tr> <tr><td>11</td><td>1,1-二氯乙烷</td><td>9</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>12</td><td>1,2-二氯乙烷</td><td>5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>13</td><td>1,1-二氯乙烯</td><td>66</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>14</td><td>顺式-1,2-二氯乙烯</td><td>596</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>15</td><td>反式-1,2-二氯乙烯</td><td>54</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>16</td><td>二氯甲烷</td><td>616</td><td>2019.9.17</td><td>0.053</td><td>合格</td></tr> <tr><td>17</td><td>1,2-二氯丙烷</td><td>5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>18</td><td>1,1,1,2-四氯乙烷</td><td>10</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>19</td><td>1,1,2,2-四氯乙烷</td><td>6.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>20</td><td>四氯乙烯</td><td>53</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>21</td><td>1,1,1-三氯乙烷</td><td>840</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>22</td><td>1,1,2-三氯乙烷</td><td>2.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>23</td><td>三氯乙烯</td><td>2.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>24</td><td>1,2,3-三氯丙烷</td><td>0.5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>25</td><td>氯乙烯</td><td>0.43</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>26</td><td>苯</td><td>4</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>27</td><td>氯苯</td><td>270</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>28</td><td>1,2-二氯苯</td><td>560</td><td>2019.9.17</td><td>1.6×10^{-3}</td><td>合格</td></tr> <tr><td>29</td><td>1,4-二氯苯</td><td>20</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>30</td><td>乙苯</td><td>28</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>31</td><td>苯乙烯</td><td>1290</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>32</td><td>甲苯</td><td>1200</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> </table>	4	铜	18000	2019.9.17	19.8	合格	5	铅	800	2019.9.17	11	合格	6	汞	38	2019.9.17	0.16	合格	7	镍	900	2019.9.17	34.6	合格	8	四氯化碳	2.8	2019.9.17	ND	合格	9	氯仿	0.9	2019.9.17	ND	合格	10	氯甲烷	37	2019.9.17	1.2×10^{-3}	合格	11	1,1-二氯乙烷	9	2019.9.17	ND	合格	12	1,2-二氯乙烷	5	2019.9.17	ND	合格	13	1,1-二氯乙烯	66	2019.9.17	ND	合格	14	顺式-1,2-二氯乙烯	596	2019.9.17	ND	合格	15	反式-1,2-二氯乙烯	54	2019.9.17	ND	合格	16	二氯甲烷	616	2019.9.17	0.053	合格	17	1,2-二氯丙烷	5	2019.9.17	ND	合格	18	1,1,1,2-四氯乙烷	10	2019.9.17	ND	合格	19	1,1,2,2-四氯乙烷	6.8	2019.9.17	ND	合格	20	四氯乙烯	53	2019.9.17	ND	合格	21	1,1,1-三氯乙烷	840	2019.9.17	ND	合格	22	1,1,2-三氯乙烷	2.8	2019.9.17	ND	合格	23	三氯乙烯	2.8	2019.9.17	ND	合格	24	1,2,3-三氯丙烷	0.5	2019.9.17	ND	合格	25	氯乙烯	0.43	2019.9.17	ND	合格	26	苯	4	2019.9.17	ND	合格	27	氯苯	270	2019.9.17	ND	合格	28	1,2-二氯苯	560	2019.9.17	1.6×10^{-3}	合格	29	1,4-二氯苯	20	2019.9.17	ND	合格	30	乙苯	28	2019.9.17	ND	合格	31	苯乙烯	1290	2019.9.17	ND	合格	32	甲苯	1200	2019.9.17	ND	合格
4	铜	18000	2019.9.17	19.8	合格																																																																																																																																																																														
5	铅	800	2019.9.17	11	合格																																																																																																																																																																														
6	汞	38	2019.9.17	0.16	合格																																																																																																																																																																														
7	镍	900	2019.9.17	34.6	合格																																																																																																																																																																														
8	四氯化碳	2.8	2019.9.17	ND	合格																																																																																																																																																																														
9	氯仿	0.9	2019.9.17	ND	合格																																																																																																																																																																														
10	氯甲烷	37	2019.9.17	1.2×10^{-3}	合格																																																																																																																																																																														
11	1,1-二氯乙烷	9	2019.9.17	ND	合格																																																																																																																																																																														
12	1,2-二氯乙烷	5	2019.9.17	ND	合格																																																																																																																																																																														
13	1,1-二氯乙烯	66	2019.9.17	ND	合格																																																																																																																																																																														
14	顺式-1,2-二氯乙烯	596	2019.9.17	ND	合格																																																																																																																																																																														
15	反式-1,2-二氯乙烯	54	2019.9.17	ND	合格																																																																																																																																																																														
16	二氯甲烷	616	2019.9.17	0.053	合格																																																																																																																																																																														
17	1,2-二氯丙烷	5	2019.9.17	ND	合格																																																																																																																																																																														
18	1,1,1,2-四氯乙烷	10	2019.9.17	ND	合格																																																																																																																																																																														
19	1,1,2,2-四氯乙烷	6.8	2019.9.17	ND	合格																																																																																																																																																																														
20	四氯乙烯	53	2019.9.17	ND	合格																																																																																																																																																																														
21	1,1,1-三氯乙烷	840	2019.9.17	ND	合格																																																																																																																																																																														
22	1,1,2-三氯乙烷	2.8	2019.9.17	ND	合格																																																																																																																																																																														
23	三氯乙烯	2.8	2019.9.17	ND	合格																																																																																																																																																																														
24	1,2,3-三氯丙烷	0.5	2019.9.17	ND	合格																																																																																																																																																																														
25	氯乙烯	0.43	2019.9.17	ND	合格																																																																																																																																																																														
26	苯	4	2019.9.17	ND	合格																																																																																																																																																																														
27	氯苯	270	2019.9.17	ND	合格																																																																																																																																																																														
28	1,2-二氯苯	560	2019.9.17	1.6×10^{-3}	合格																																																																																																																																																																														
29	1,4-二氯苯	20	2019.9.17	ND	合格																																																																																																																																																																														
30	乙苯	28	2019.9.17	ND	合格																																																																																																																																																																														
31	苯乙烯	1290	2019.9.17	ND	合格																																																																																																																																																																														
32	甲苯	1200	2019.9.17	ND	合格																																																																																																																																																																														



					33	间, 对-二甲苯	570	2019. 9. 17	ND	合格
					34	邻-二甲苯	640	2019. 9. 17	ND	合格
					35	硝基苯	76	2019. 9. 17	ND	合格
					36	苯胺	260	2019. 9. 17	ND	合格
					37	2-氯酚	2256	2019. 9. 17	ND	合格
					38	苯并(a)蒽	15	2019. 9. 17	0. 11	合格
					39	苯并(a)芘	1. 5	2019. 9. 17	ND	合格
					40	苯并(b)荧蒽	15	2019. 9. 17	ND	合格
					41	苯并(k)荧蒽	151	2019. 9. 17	ND	合格
					42	蒽	1293	2019. 9. 17	ND	合格
					43	二苯并(ah)蒽	1. 5	2019. 9. 17	ND	合格
					44	茚并(1, 2, 3-cd)芘	15	2019. 9. 17	ND	合格
					45	萘	70	2019. 9. 17	ND	合格
					1	砷	60	2019. 9. 17	4. 42	合格
					2	镉	65	2019. 9. 17	0. 978	合格
					3	六价铬	5. 7	2019. 9. 17	ND	合格
					4	铜	18000	2019. 9. 17	21. 2	合格
					5	铅	800	2019. 9. 17	7. 34	合格
					6	汞	38	2019. 9. 17	0. 0485	合格
					7	镍	900	2019. 9. 17	36. 4	合格
					8	四氯化碳	2. 8	2019. 9. 17	ND	合格
					9	氯仿	0. 9	2019. 9. 17	$1. 1 \times 10^{-3}$	合格
					10	氯甲烷	37	2019. 9. 17	$1. 3 \times 10^{-3}$	合格
					11	1, 1-二氯乙烷	9	2019. 9. 17	ND	合格
					12	1, 2-二氯乙烷	5	2019. 9. 17	ND	合格
					13	1, 1-二氯乙烯	66	2019. 9. 17	ND	合格
					14	顺式-1, 2-二氯乙烯	596	2019. 9. 17	ND	合格
					15	反式-1, 2-二氯乙烯	54	2019. 9. 17	ND	合格
					16	二氯甲烷	616	2019. 9. 17	0. 0146	合格
					17	1, 2-二氯丙烷	5	2019. 9. 17	ND	合格



2	土壤1	土壤环境 检测T1 (中层 0.5-1.5m)	118° 50 ' 06.63 "	32° 16' 4 1.79"	18	1,1,1,2-四氯乙烷	10	2019.9.17	ND	合格
					19	1,1,2,2-四氯乙烷	6.8	2019.9.17	ND	合格
					20	四氯乙烯	53	2019.9.17	ND	合格
					21	1,1,1-三氯乙烷	840	2019.9.17	ND	合格
					22	1,1,2-三氯乙烷	2.8	2019.9.17	ND	合格
					23	三氯乙烯	2.8	2019.9.17	ND	合格
					24	1,2,3-三氯丙烷	0.5	2019.9.17	ND	合格
					25	氯乙烯	0.43	2019.9.17	ND	合格
					26	苯	4	2019.9.17	ND	合格
					27	氯苯	270	2019.9.17	ND	合格
					28	1,2-二氯苯	560	2019.9.17	ND	合格
					29	1,4-二氯苯	20	2019.9.17	ND	合格
					30	乙苯	28	2019.9.17	ND	合格
					31	苯乙烯	1290	2019.9.17	ND	合格
					32	甲苯	1200	2019.9.17	ND	合格
					33	间,对-二甲苯	570	2019.9.17	ND	合格
					34	邻-二甲苯	640	2019.9.17	ND	合格
					35	硝基苯	76	2019.9.17	ND	合格
					36	苯胺	260	2019.9.17	ND	合格
					37	2-氯酚	2256	2019.9.17	ND	合格
					38	苯并(a)蒽	15	2019.9.17	0.11	合格
					39	苯并(a)芘	1.5	2019.9.17	ND	合格
					40	苯并(b)荧蒽	15	2019.9.17	ND	合格
					41	苯并(k)荧蒽	151	2019.9.17	ND	合格
					42	蒽	1293	2019.9.17	ND	合格
					43	二苯并(ah)蒽	1.5	2019.9.17	ND	合格
					44	茚并(1,2,3-cd)芘	15	2019.9.17	ND	合格
					45	萘	70	2019.9.17	ND	合格
					1	砷	60	2019.9.17	2.28	合格
					2	镉	65	2019.9.17	0.48	合格



3	土壤1	土壤环境 检测T1 (深层: 1.5-3m)	118° 50 ' 06.63 "	32° 16' 4 1.79"	<table> <tr><td>3</td><td>六价铬</td><td>5.7</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>4</td><td>铜</td><td>18000</td><td>2019.9.17</td><td>16.2</td><td>合格</td></tr> <tr><td>5</td><td>铅</td><td>800</td><td>2019.9.17</td><td>11.2</td><td>合格</td></tr> <tr><td>6</td><td>汞</td><td>38</td><td>2019.9.17</td><td>0.0258</td><td>合格</td></tr> <tr><td>7</td><td>镍</td><td>900</td><td>2019.9.17</td><td>34.8</td><td>合格</td></tr> <tr><td>8</td><td>四氯化碳</td><td>2.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>9</td><td>氯仿</td><td>0.9</td><td>2019.9.17</td><td>1.3×10^{-3}</td><td>合格</td></tr> <tr><td>10</td><td>氯甲烷</td><td>37</td><td>2019.9.17</td><td>1.2×10^{-3}</td><td>合格</td></tr> <tr><td>11</td><td>1,1-二氯乙烷</td><td>9</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>12</td><td>1,2-二氯乙烷</td><td>5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>13</td><td>1,1-二氯乙烯</td><td>66</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>14</td><td>顺式-1,2-二氯乙烯</td><td>596</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>15</td><td>反式-1,2-二氯乙烯</td><td>54</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>16</td><td>二氯甲烷</td><td>616</td><td>2019.9.17</td><td>0.0125</td><td>合格</td></tr> <tr><td>17</td><td>1,2-二氯丙烷</td><td>5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>18</td><td>1,1,1,2-四氯乙烷</td><td>10</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>19</td><td>1,1,2,2-四氯乙烷</td><td>6.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>20</td><td>四氯乙烯</td><td>53</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>21</td><td>1,1,1-三氯乙烷</td><td>840</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>22</td><td>1,1,2-三氯乙烷</td><td>2.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>23</td><td>三氯乙烯</td><td>2.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>24</td><td>1,2,3-三氯丙烷</td><td>0.5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>25</td><td>氯乙烯</td><td>0.43</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>26</td><td>苯</td><td>4</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>27</td><td>氯苯</td><td>270</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>28</td><td>1,2-二氯苯</td><td>560</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>29</td><td>1,4-二氯苯</td><td>20</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>30</td><td>乙苯</td><td>28</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>31</td><td>苯乙烯</td><td>1290</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>32</td><td>甲苯</td><td>1200</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> </table>	3	六价铬	5.7	2019.9.17	ND	合格	4	铜	18000	2019.9.17	16.2	合格	5	铅	800	2019.9.17	11.2	合格	6	汞	38	2019.9.17	0.0258	合格	7	镍	900	2019.9.17	34.8	合格	8	四氯化碳	2.8	2019.9.17	ND	合格	9	氯仿	0.9	2019.9.17	1.3×10^{-3}	合格	10	氯甲烷	37	2019.9.17	1.2×10^{-3}	合格	11	1,1-二氯乙烷	9	2019.9.17	ND	合格	12	1,2-二氯乙烷	5	2019.9.17	ND	合格	13	1,1-二氯乙烯	66	2019.9.17	ND	合格	14	顺式-1,2-二氯乙烯	596	2019.9.17	ND	合格	15	反式-1,2-二氯乙烯	54	2019.9.17	ND	合格	16	二氯甲烷	616	2019.9.17	0.0125	合格	17	1,2-二氯丙烷	5	2019.9.17	ND	合格	18	1,1,1,2-四氯乙烷	10	2019.9.17	ND	合格	19	1,1,2,2-四氯乙烷	6.8	2019.9.17	ND	合格	20	四氯乙烯	53	2019.9.17	ND	合格	21	1,1,1-三氯乙烷	840	2019.9.17	ND	合格	22	1,1,2-三氯乙烷	2.8	2019.9.17	ND	合格	23	三氯乙烯	2.8	2019.9.17	ND	合格	24	1,2,3-三氯丙烷	0.5	2019.9.17	ND	合格	25	氯乙烯	0.43	2019.9.17	ND	合格	26	苯	4	2019.9.17	ND	合格	27	氯苯	270	2019.9.17	ND	合格	28	1,2-二氯苯	560	2019.9.17	ND	合格	29	1,4-二氯苯	20	2019.9.17	ND	合格	30	乙苯	28	2019.9.17	ND	合格	31	苯乙烯	1290	2019.9.17	ND	合格	32	甲苯	1200	2019.9.17	ND	合格
3	六价铬	5.7	2019.9.17	ND	合格																																																																																																																																																																																				
4	铜	18000	2019.9.17	16.2	合格																																																																																																																																																																																				
5	铅	800	2019.9.17	11.2	合格																																																																																																																																																																																				
6	汞	38	2019.9.17	0.0258	合格																																																																																																																																																																																				
7	镍	900	2019.9.17	34.8	合格																																																																																																																																																																																				
8	四氯化碳	2.8	2019.9.17	ND	合格																																																																																																																																																																																				
9	氯仿	0.9	2019.9.17	1.3×10^{-3}	合格																																																																																																																																																																																				
10	氯甲烷	37	2019.9.17	1.2×10^{-3}	合格																																																																																																																																																																																				
11	1,1-二氯乙烷	9	2019.9.17	ND	合格																																																																																																																																																																																				
12	1,2-二氯乙烷	5	2019.9.17	ND	合格																																																																																																																																																																																				
13	1,1-二氯乙烯	66	2019.9.17	ND	合格																																																																																																																																																																																				
14	顺式-1,2-二氯乙烯	596	2019.9.17	ND	合格																																																																																																																																																																																				
15	反式-1,2-二氯乙烯	54	2019.9.17	ND	合格																																																																																																																																																																																				
16	二氯甲烷	616	2019.9.17	0.0125	合格																																																																																																																																																																																				
17	1,2-二氯丙烷	5	2019.9.17	ND	合格																																																																																																																																																																																				
18	1,1,1,2-四氯乙烷	10	2019.9.17	ND	合格																																																																																																																																																																																				
19	1,1,2,2-四氯乙烷	6.8	2019.9.17	ND	合格																																																																																																																																																																																				
20	四氯乙烯	53	2019.9.17	ND	合格																																																																																																																																																																																				
21	1,1,1-三氯乙烷	840	2019.9.17	ND	合格																																																																																																																																																																																				
22	1,1,2-三氯乙烷	2.8	2019.9.17	ND	合格																																																																																																																																																																																				
23	三氯乙烯	2.8	2019.9.17	ND	合格																																																																																																																																																																																				
24	1,2,3-三氯丙烷	0.5	2019.9.17	ND	合格																																																																																																																																																																																				
25	氯乙烯	0.43	2019.9.17	ND	合格																																																																																																																																																																																				
26	苯	4	2019.9.17	ND	合格																																																																																																																																																																																				
27	氯苯	270	2019.9.17	ND	合格																																																																																																																																																																																				
28	1,2-二氯苯	560	2019.9.17	ND	合格																																																																																																																																																																																				
29	1,4-二氯苯	20	2019.9.17	ND	合格																																																																																																																																																																																				
30	乙苯	28	2019.9.17	ND	合格																																																																																																																																																																																				
31	苯乙烯	1290	2019.9.17	ND	合格																																																																																																																																																																																				
32	甲苯	1200	2019.9.17	ND	合格																																																																																																																																																																																				



					33	间,对-二甲苯	570	2019.9.17	ND	合格
					34	邻-二甲苯	640	2019.9.17	ND	合格
					35	硝基苯	76	2019.9.17	ND	合格
					36	苯胺	260	2019.9.17	ND	合格
					37	2-氯酚	2256	2019.9.17	ND	合格
					38	苯并(a)蒽	15	2019.9.17	0.1	合格
					39	苯并(a)芘	1.5	2019.9.17	ND	合格
					40	苯并(b)荧蒽	15	2019.9.17	ND	合格
					41	苯并(k)荧蒽	151	2019.9.17	ND	合格
					42	蒽	1293	2019.9.17	ND	合格
					43	三苯并(ah)蒽	1.5	2019.9.17	ND	合格
					44	茚并(1,2,3-cd)芘	15	2019.9.17	ND	合格
					45	苯	70	2019.9.17	ND	合格
					1	砷	60	2019.9.17	5.54	合格
					2	镉	65	2019.9.17	0.812	合格
					3	六价铬	5.7	2019.9.17	ND	合格
					4	铜	18000	2019.9.17	16.4	合格
					5	铅	800	2019.9.17	11.4	合格
					6	汞	38	2019.9.17	0.0886	合格
					7	镍	900	2019.9.17	38.9	合格
					8	四氯化碳	2.8	2019.9.17	ND	合格
					9	氯仿	0.9	2019.9.17	ND	合格
					10	氯甲烷	37	2019.9.17	ND	合格
					11	1,1-二氯乙烷	9	2019.9.17	ND	合格
					12	1,2-二氯乙烷	5	2019.9.17	ND	合格
					13	1,1-二氯乙烯	66	2019.9.17	ND	合格
					14	顺式-1,2-二氯乙烯	596	2019.9.17	ND	合格
					15	反式-1,2-二氯乙烯	54	2019.9.17	ND	合格
					16	二氯甲烷	616	2019.9.17	2.6×10^{-3}	合格
					17	1,2-二氯丙烷	5	2019.9.17	ND	合格



4	土壤2	土壤环境 检测T2(表 层: 0- 0.5m)	118° 50 ' 07.76 "	32° 16' 3 8.03"	<table> <tr><td>18</td><td>1,1,1,2-四氯乙烷</td><td>10</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>19</td><td>1,1,2,2-四氯乙烷</td><td>6.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>20</td><td>四氯乙烯</td><td>53</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>21</td><td>1,1,1-三氯乙烷</td><td>840</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>22</td><td>1,1,2-三氯乙烷</td><td>2.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>23</td><td>三氯乙烯</td><td>2.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>24</td><td>1,2,3-三氯丙烷</td><td>0.5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>25</td><td>氯乙烯</td><td>0.43</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>26</td><td>苯</td><td>4</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>27</td><td>氯苯</td><td>270</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>28</td><td>1,2-二氯苯</td><td>560</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>29</td><td>1,4-二氯苯</td><td>20</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>30</td><td>乙苯</td><td>28</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>31</td><td>苯乙烯</td><td>1290</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>32</td><td>甲苯</td><td>1200</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>33</td><td>间,对-二甲苯</td><td>570</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>34</td><td>邻-二甲苯</td><td>640</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>35</td><td>硝基苯</td><td>76</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>36</td><td>苯胺</td><td>260</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>37</td><td>2-氯酚</td><td>2256</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>38</td><td>苯并(a)蒽</td><td>15</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>39</td><td>苯并(a)芘</td><td>1.5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>40</td><td>苯并(b)荧蒽</td><td>15</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>41</td><td>苯并(k)荧蒽</td><td>151</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>42</td><td>蒽</td><td>1293</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>43</td><td>二苯并(ah)蒽</td><td>1.5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>44</td><td>茚并(1,2,3-cd)芘</td><td>15</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>45</td><td>蔡</td><td>70</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>1</td><td>砷</td><td>60</td><td>2019.9.17</td><td>1.4</td><td>合格</td></tr> <tr><td>2</td><td>镉</td><td>65</td><td>2019.9.17</td><td>0.319</td><td>合格</td></tr> </table>	18	1,1,1,2-四氯乙烷	10	2019.9.17	ND	合格	19	1,1,2,2-四氯乙烷	6.8	2019.9.17	ND	合格	20	四氯乙烯	53	2019.9.17	ND	合格	21	1,1,1-三氯乙烷	840	2019.9.17	ND	合格	22	1,1,2-三氯乙烷	2.8	2019.9.17	ND	合格	23	三氯乙烯	2.8	2019.9.17	ND	合格	24	1,2,3-三氯丙烷	0.5	2019.9.17	ND	合格	25	氯乙烯	0.43	2019.9.17	ND	合格	26	苯	4	2019.9.17	ND	合格	27	氯苯	270	2019.9.17	ND	合格	28	1,2-二氯苯	560	2019.9.17	ND	合格	29	1,4-二氯苯	20	2019.9.17	ND	合格	30	乙苯	28	2019.9.17	ND	合格	31	苯乙烯	1290	2019.9.17	ND	合格	32	甲苯	1200	2019.9.17	ND	合格	33	间,对-二甲苯	570	2019.9.17	ND	合格	34	邻-二甲苯	640	2019.9.17	ND	合格	35	硝基苯	76	2019.9.17	ND	合格	36	苯胺	260	2019.9.17	ND	合格	37	2-氯酚	2256	2019.9.17	ND	合格	38	苯并(a)蒽	15	2019.9.17	ND	合格	39	苯并(a)芘	1.5	2019.9.17	ND	合格	40	苯并(b)荧蒽	15	2019.9.17	ND	合格	41	苯并(k)荧蒽	151	2019.9.17	ND	合格	42	蒽	1293	2019.9.17	ND	合格	43	二苯并(ah)蒽	1.5	2019.9.17	ND	合格	44	茚并(1,2,3-cd)芘	15	2019.9.17	ND	合格	45	蔡	70	2019.9.17	ND	合格	1	砷	60	2019.9.17	1.4	合格	2	镉	65	2019.9.17	0.319	合格
18	1,1,1,2-四氯乙烷	10	2019.9.17	ND	合格																																																																																																																																																																																				
19	1,1,2,2-四氯乙烷	6.8	2019.9.17	ND	合格																																																																																																																																																																																				
20	四氯乙烯	53	2019.9.17	ND	合格																																																																																																																																																																																				
21	1,1,1-三氯乙烷	840	2019.9.17	ND	合格																																																																																																																																																																																				
22	1,1,2-三氯乙烷	2.8	2019.9.17	ND	合格																																																																																																																																																																																				
23	三氯乙烯	2.8	2019.9.17	ND	合格																																																																																																																																																																																				
24	1,2,3-三氯丙烷	0.5	2019.9.17	ND	合格																																																																																																																																																																																				
25	氯乙烯	0.43	2019.9.17	ND	合格																																																																																																																																																																																				
26	苯	4	2019.9.17	ND	合格																																																																																																																																																																																				
27	氯苯	270	2019.9.17	ND	合格																																																																																																																																																																																				
28	1,2-二氯苯	560	2019.9.17	ND	合格																																																																																																																																																																																				
29	1,4-二氯苯	20	2019.9.17	ND	合格																																																																																																																																																																																				
30	乙苯	28	2019.9.17	ND	合格																																																																																																																																																																																				
31	苯乙烯	1290	2019.9.17	ND	合格																																																																																																																																																																																				
32	甲苯	1200	2019.9.17	ND	合格																																																																																																																																																																																				
33	间,对-二甲苯	570	2019.9.17	ND	合格																																																																																																																																																																																				
34	邻-二甲苯	640	2019.9.17	ND	合格																																																																																																																																																																																				
35	硝基苯	76	2019.9.17	ND	合格																																																																																																																																																																																				
36	苯胺	260	2019.9.17	ND	合格																																																																																																																																																																																				
37	2-氯酚	2256	2019.9.17	ND	合格																																																																																																																																																																																				
38	苯并(a)蒽	15	2019.9.17	ND	合格																																																																																																																																																																																				
39	苯并(a)芘	1.5	2019.9.17	ND	合格																																																																																																																																																																																				
40	苯并(b)荧蒽	15	2019.9.17	ND	合格																																																																																																																																																																																				
41	苯并(k)荧蒽	151	2019.9.17	ND	合格																																																																																																																																																																																				
42	蒽	1293	2019.9.17	ND	合格																																																																																																																																																																																				
43	二苯并(ah)蒽	1.5	2019.9.17	ND	合格																																																																																																																																																																																				
44	茚并(1,2,3-cd)芘	15	2019.9.17	ND	合格																																																																																																																																																																																				
45	蔡	70	2019.9.17	ND	合格																																																																																																																																																																																				
1	砷	60	2019.9.17	1.4	合格																																																																																																																																																																																				
2	镉	65	2019.9.17	0.319	合格																																																																																																																																																																																				



5	土壤2	土壤环境 检测T2(中 层0.5- 1.5m)	118° 50' 07.76"	32° 16' 3 8.03"	3	六价铬	5.7	2019.9.17	ND	合格
					4	铜	18000	2019.9.17	23.7	合格
					5	铅	800	2019.9.17	11.1	合格
					6	汞	38	2019.9.17	0.498	合格
					7	镍	900	2019.9.17	31.1	合格
					8	四氯化碳	2.8	2019.9.17	ND	合格
					9	氯仿	0.9	2019.9.17	1.2×10^{-3}	合格
					10	氯甲烷	37	2019.9.17	ND	合格
					11	1,1-二氯乙烷	9	2019.9.17	ND	合格
					12	1,2-二氯乙烷	5	2019.9.17	ND	合格
					13	1,1-二氯乙烯	66	2019.9.17	ND	合格
					14	顺式-1,2-二氯乙烯	596	2019.9.17	ND	合格
					15	反式-1,2-二氯乙烯	54	2019.9.17	ND	合格
					16	二氯甲烷	616	2019.9.17	4.7×10^{-3}	合格
					17	1,2-二氯丙烷	5	2019.9.17	ND	合格
					18	1,1,1,2-四氯乙烷	10	2019.9.17	ND	合格
					19	1,1,2,2-四氯乙烷	6.8	2019.9.17	ND	合格
					20	四氯乙烯	53	2019.9.17	ND	合格
					21	1,1,1-三氯乙烷	840	2019.9.17	ND	合格
					22	1,1,2-三氯乙烷	2.8	2019.9.17	ND	合格
					23	三氯乙烯	2.8	2019.9.17	ND	合格
					24	1,2,3-三氯丙烷	0.5	2019.9.17	ND	合格
					25	氯乙烯	0.43	2019.9.17	ND	合格
					26	苯	4	2019.9.17	ND	合格
					27	氯苯	270	2019.9.17	ND	合格
					28	1,2-二氯苯	560	2019.9.17	ND	合格
					29	1,4-二氯苯	20	2019.9.17	ND	合格
					30	乙苯	28	2019.9.17	ND	合格
					31	苯乙烯	1290	2019.9.17	ND	合格
					32	甲苯	1200	2019.9.17	ND	合格



				33	间,对-二甲苯	570	2019.9.17	ND	合格
				34	邻-二甲苯	640	2019.9.17	ND	合格
				35	硝基苯	76	2019.9.17	ND	合格
				36	苯胺	260	2019.9.17	ND	合格
				37	2-氯酚	2256	2019.9.17	ND	合格
				38	苯并(a)蒽	15	2019.9.17	ND	合格
				39	苯并(a)芘	1.5	2019.9.17	ND	合格
				40	苯并(b)荧蒽	15	2019.9.17	ND	合格
				41	苯并(k)荧蒽	151	2019.9.17	ND	合格
				42	蒽	1293	2019.9.17	ND	合格
				43	二苯并(ah)蒽	1.5	2019.9.17	ND	合格
				44	茚并(1,2,3-cd)芘	15	2019.9.17	ND	合格
				45	苯	70	2019.9.17	ND	合格
				1	砷	60	2019.9.17	1.38	合格
				2	镉	65	2019.9.17	0.368	合格
				3	六价铬	5.7	2019.9.17	ND	合格
				4	铜	18000	2019.9.17	10.1	合格
				5	铅	800	2019.9.17	6.61	合格
				6	汞	38	2019.9.17	0.0199	合格
				7	镍	900	2019.9.17	32	合格
				8	四氯化碳	2.8	2019.9.17	ND	合格
				9	氯仿	0.9	2019.9.17	1.2×10^{-3}	合格
				10	氯甲烷	37	2019.9.17	1.1×10^{-3}	合格
				11	1,1-二氯乙烷	9	2019.9.17	ND	合格
				12	1,2-二氯乙烷	5	2019.9.17	ND	合格
				13	1,1-二氯乙烯	66	2019.9.17	ND	合格
				14	顺式-1,2-二氯乙烯	596	2019.9.17	ND	合格
				15	反式-1,2-二氯乙烯	54	2019.9.17	ND	合格
				16	二氯甲烷	616	2019.9.17	3.1×10^{-3}	合格
				17	1,2-二氯丙烷	5	2019.9.17	ND	合格



6	土壤2	土壤环境 检测2(深 层: 1.5- 3m)	118° 50 ' 07.76 "	32° 16' 3 8.03"	<table> <tr><td>18</td><td>1,1,1,2-四氯乙烷</td><td>10</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>19</td><td>1,1,2,2-四氯乙烷</td><td>6.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>20</td><td>四氯乙烯</td><td>53</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>21</td><td>1,1,1-三氯乙烷</td><td>840</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>22</td><td>1,1,2-三氯乙烷</td><td>2.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>23</td><td>三氯乙烯</td><td>2.8</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>24</td><td>1,2,3-三氯丙烷</td><td>0.5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>25</td><td>氯乙烯</td><td>0.43</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>26</td><td>苯</td><td>4</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>27</td><td>氯苯</td><td>270</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>28</td><td>1,2-二氯苯</td><td>560</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>29</td><td>1,4-二氯苯</td><td>20</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>30</td><td>乙苯</td><td>28</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>31</td><td>苯乙烯</td><td>1290</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>32</td><td>甲苯</td><td>1200</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>33</td><td>间,对-二甲苯</td><td>570</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>34</td><td>邻-二甲苯</td><td>640</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>35</td><td>硝基苯</td><td>76</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>36</td><td>苯胺</td><td>260</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>37</td><td>2-氯酚</td><td>2256</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>38</td><td>苯并(a)蒽</td><td>15</td><td>2019.9.17</td><td>0.11</td><td>合格</td></tr> <tr><td>39</td><td>苯并(a)芘</td><td>1.5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>40</td><td>苯并(b)荧蒽</td><td>15</td><td>2019.9.17</td><td>0.12</td><td>合格</td></tr> <tr><td>41</td><td>苯并(k)荧蒽</td><td>151</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>42</td><td>蒽</td><td>1293</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>43</td><td>二苯并(ah)蒽</td><td>1.5</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>44</td><td>茚并(1,2,3-cd)芘</td><td>15</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>45</td><td>蔡</td><td>70</td><td>2019.9.17</td><td>ND</td><td>合格</td></tr> <tr><td>1</td><td>pH值(无纲量)</td><td>6.5-8.5</td><td>2019.9.22</td><td>7.07</td><td>合格</td></tr> <tr><td>2</td><td>钾</td><td>/</td><td>2019.9.22</td><td>0.72</td><td>合格</td></tr> </table>	18	1,1,1,2-四氯乙烷	10	2019.9.17	ND	合格	19	1,1,2,2-四氯乙烷	6.8	2019.9.17	ND	合格	20	四氯乙烯	53	2019.9.17	ND	合格	21	1,1,1-三氯乙烷	840	2019.9.17	ND	合格	22	1,1,2-三氯乙烷	2.8	2019.9.17	ND	合格	23	三氯乙烯	2.8	2019.9.17	ND	合格	24	1,2,3-三氯丙烷	0.5	2019.9.17	ND	合格	25	氯乙烯	0.43	2019.9.17	ND	合格	26	苯	4	2019.9.17	ND	合格	27	氯苯	270	2019.9.17	ND	合格	28	1,2-二氯苯	560	2019.9.17	ND	合格	29	1,4-二氯苯	20	2019.9.17	ND	合格	30	乙苯	28	2019.9.17	ND	合格	31	苯乙烯	1290	2019.9.17	ND	合格	32	甲苯	1200	2019.9.17	ND	合格	33	间,对-二甲苯	570	2019.9.17	ND	合格	34	邻-二甲苯	640	2019.9.17	ND	合格	35	硝基苯	76	2019.9.17	ND	合格	36	苯胺	260	2019.9.17	ND	合格	37	2-氯酚	2256	2019.9.17	ND	合格	38	苯并(a)蒽	15	2019.9.17	0.11	合格	39	苯并(a)芘	1.5	2019.9.17	ND	合格	40	苯并(b)荧蒽	15	2019.9.17	0.12	合格	41	苯并(k)荧蒽	151	2019.9.17	ND	合格	42	蒽	1293	2019.9.17	ND	合格	43	二苯并(ah)蒽	1.5	2019.9.17	ND	合格	44	茚并(1,2,3-cd)芘	15	2019.9.17	ND	合格	45	蔡	70	2019.9.17	ND	合格	1	pH值(无纲量)	6.5-8.5	2019.9.22	7.07	合格	2	钾	/	2019.9.22	0.72	合格
18	1,1,1,2-四氯乙烷	10	2019.9.17	ND	合格																																																																																																																																																																																				
19	1,1,2,2-四氯乙烷	6.8	2019.9.17	ND	合格																																																																																																																																																																																				
20	四氯乙烯	53	2019.9.17	ND	合格																																																																																																																																																																																				
21	1,1,1-三氯乙烷	840	2019.9.17	ND	合格																																																																																																																																																																																				
22	1,1,2-三氯乙烷	2.8	2019.9.17	ND	合格																																																																																																																																																																																				
23	三氯乙烯	2.8	2019.9.17	ND	合格																																																																																																																																																																																				
24	1,2,3-三氯丙烷	0.5	2019.9.17	ND	合格																																																																																																																																																																																				
25	氯乙烯	0.43	2019.9.17	ND	合格																																																																																																																																																																																				
26	苯	4	2019.9.17	ND	合格																																																																																																																																																																																				
27	氯苯	270	2019.9.17	ND	合格																																																																																																																																																																																				
28	1,2-二氯苯	560	2019.9.17	ND	合格																																																																																																																																																																																				
29	1,4-二氯苯	20	2019.9.17	ND	合格																																																																																																																																																																																				
30	乙苯	28	2019.9.17	ND	合格																																																																																																																																																																																				
31	苯乙烯	1290	2019.9.17	ND	合格																																																																																																																																																																																				
32	甲苯	1200	2019.9.17	ND	合格																																																																																																																																																																																				
33	间,对-二甲苯	570	2019.9.17	ND	合格																																																																																																																																																																																				
34	邻-二甲苯	640	2019.9.17	ND	合格																																																																																																																																																																																				
35	硝基苯	76	2019.9.17	ND	合格																																																																																																																																																																																				
36	苯胺	260	2019.9.17	ND	合格																																																																																																																																																																																				
37	2-氯酚	2256	2019.9.17	ND	合格																																																																																																																																																																																				
38	苯并(a)蒽	15	2019.9.17	0.11	合格																																																																																																																																																																																				
39	苯并(a)芘	1.5	2019.9.17	ND	合格																																																																																																																																																																																				
40	苯并(b)荧蒽	15	2019.9.17	0.12	合格																																																																																																																																																																																				
41	苯并(k)荧蒽	151	2019.9.17	ND	合格																																																																																																																																																																																				
42	蒽	1293	2019.9.17	ND	合格																																																																																																																																																																																				
43	二苯并(ah)蒽	1.5	2019.9.17	ND	合格																																																																																																																																																																																				
44	茚并(1,2,3-cd)芘	15	2019.9.17	ND	合格																																																																																																																																																																																				
45	蔡	70	2019.9.17	ND	合格																																																																																																																																																																																				
1	pH值(无纲量)	6.5-8.5	2019.9.22	7.07	合格																																																																																																																																																																																				
2	钾	/	2019.9.22	0.72	合格																																																																																																																																																																																				



7	地下水上游1	地下水环境检测DW1	118° 50' 06.63"	32° 16' 41.79"	3	钠	≤200	2019.9.22	4.92	合格
					4	钙	/	2019.9.22	22.8	合格
					5	镁	/	2019.9.22	5.19	合格
					6	汞	≤0.001	2019.9.22	ND	合格
					7	砷	≤0.01	2019.9.22	1.09×10^{-3}	合格
					8	铅	≤0.01	2019.9.22	3.26×10^{-3}	合格
					9	镉	≤0.005	2019.9.22	8.00×10^{-5}	合格
					10	铁	≤0.3	2019.9.22	ND	合格
					11	锰	≤0.1	2019.9.22	0.0863	合格
					12	氟化物	≤1.0	2019.9.22	0.17	合格
					13	氯化物	≤250	2019.9.22	33.4	合格
					14	硫酸盐	≤250	2019.9.22	10.6	合格
					15	硝酸盐氮	≤20.0	2019.9.22	ND	合格
					16	亚硝酸盐氮	≤1.00	2019.9.22	0.002	合格
					17	六价铬	≤0.05	2019.9.22	ND	合格
					18	总硬度	≤450	2019.9.22	354	合格
					19	氨氮	≤0.50	2019.9.22	1.18	偏高
					20	碳酸根	/	2019.9.22	ND	合格
					21	碳酸氢根	/	2019.9.22	2.47×10^{-3}	合格
					22	挥发酚类	≤0.002	2019.9.22	ND	合格
					23	溶解性总固体	≤1000	2019.9.22	514	合格
					24	耗氧量	≤3.0	2019.9.22	2.5	合格
					25	氰化物	≤0.05	2019.9.22	ND	合格
					26	总大肠菌群	≤3.0	2019.9.22	未检出	合格
					27	细菌总数	≤100	2019.9.22	56	合格
					28	参照《地下水质量标准》(GB/T14848-2017) 3类标准				
					1	pH值(无量纲)	6.5-8.5	2019.9.22	7.84	合格
					2	钾	/	2019.9.22	0.69	合格
					3	钠	≤200	2019.9.22	2.36	合格
					4	钙	/	2019.9.22	12.1	合格



8	地下水下游2	地下水环境检测DW2	118° 50' 07.76"	32° 16' 38.03"	5	镁	/	2019.9.22	2.81	合格
					6	汞	≤0.001	2019.9.22	ND	合格
					7	砷	≤0.01	2019.9.22	1.00×10^{-4}	合格
					8	铅	≤0.01	2019.9.22	1.97×10^{-3}	合格
					9	镉	≤0.005	2019.9.22	ND	合格
					10	铁	≤0.3	2019.9.22	ND	合格
					11	锰	≤0.1	2019.9.22	0.025	合格
					12	氟化物	≤1.0	2019.9.22	0.325	合格
					13	氯化物	≤250	2019.9.22	11.4	合格
					14	硫酸盐	≤250	2019.9.22	28.8	合格
					15	硝酸盐氮	≤20.0	2019.9.22	ND	合格
					16	亚硝酸盐氮	≤1.00	2019.9.22	0.002	合格
					17	六价铬	≤0.05	2019.9.22	ND	合格
					18	总硬度	≤450	2019.9.22	186	合格
					19	氨氮	≤0.50	2019.9.22	0.22	合格
					20	碳酸根	/	2019.9.22	ND	合格
					21	碳酸氢根	/	2019.9.22	2.62×10^{-3}	合格
					22	挥发酚类	≤0.002	2019.9.22	ND	合格
					23	溶解性总固体	≤1000	2019.9.22	302	合格
					24	耗氧量	≤3.0	2019.9.22	2.8	合格
					25	氰化物	≤0.05	2019.9.22	ND	合格
					26	总大肠菌群	≤3.0	2019.9.22	未检出	合格
					27	细菌总数	≤100	2019.9.22	71	合格
					28	参照《地下水质量标准》(GB/T14848-2017) 3类标准				
					1	pH值(无量纲)	6.5-8.5	2019.9.22	7.3	合格
					2	钾	/	2019.9.22	0.3	合格
					3	钠	≤200	2019.9.22	2.76	合格
					4	钙	/	2019.9.22	24.8	合格
					5	镁	/	2019.9.22	2.87	合格
					6	汞	≤0.001	2019.9.22	ND	合格



9	地下水下游3	地下水环境检测DW3	118° 50' 08.88"	32° 16' 38.83"	7	砷	≤0.01	2019.9.22	2.10×10^{-4}	合格
					8	铅	≤0.01	2019.9.22	3.10×10^{-3}	合格
					9	镉	≤0.005	2019.9.22	1.00×10^{-4}	合格
					10	铁	≤0.3	2019.9.22	ND	合格
					11	锰	≤0.1	2019.9.22	0.0915	合格
					12	氟化物	≤1.0	2019.9.22	0.251	合格
					13	氯化物	≤250	2019.9.22	31.2	合格
					14	硫酸盐	≤250	2019.9.22	144	合格
					15	硝酸盐氮	≤20.0	2019.9.22	ND	合格
					16	亚硝酸盐氮	≤1.00	2019.9.22	0.003	合格
					17	六价铬	≤0.05	2019.9.22	ND	合格
					18	总硬度	≤450	2019.9.22	355	合格
					19	氨氮	≤0.50	2019.9.22	0.27	合格
					20	碳酸根	/	2019.9.22	ND	合格
					21	碳酸氢根	/	2019.9.22	2.64×10^{-3}	合格
					22	挥发酚类	≤0.002	2019.9.22	ND	合格
					23	溶解性总固体	≤1000	2019.9.22	672	合格
					24	耗氧量	≤3.0	2019.9.22	2.4	合格
					25	氰化物	≤0.05	2019.9.22	ND	合格
					26	总大肠菌群	≤3.0	2019.9.22	未检出	合格
					27	细菌总数	≤100	2019.9.22	75	合格
					28	参照《地下水质量标准》(GB/T14848-2017) 3类标准				

编制：安保部

审批：

葛永林
2019.11.19.



扫描全能王 创建